DIY® OuttaSight™ Ceiling Cassette









Scan here for the latest version of this brochure.

FEATURES

- ✓ Low Profile Installation
- ✓ Fits between 16" Ceiling Joists
- ✓ Easy Access Filter
- ✓ Multi and Single Zone Systems
- Quiet Operation

- Multiple Operating Modes
- Remote Included
- Advanced Filtration
- Swing Technology







Version Date: 02-28-25

www.mrcool.com



One of the **most versatile** ceiling units ever!



The MRCOOL® DIY® Series **OuttaSight™** Ceiling Cassettes offers a low-profile heating and cooling option to discreetly fit any space. Designed to work with current and future joist standards, it can be recessed between all types of joists on 16 inch center - including pre-manufactured I-joists.

Perfect for retrofits or new construction, the lowprofile installation will remain out of sight while delivering the efficient heating and cooling you've come to expect from MRCOOL®.

A low-profile heating and cooling solution that doesn't require ductwork or wall space, and fits discreetly in any space.



standard ceiling joists or I-joists and secured with screws. Our Ceiling Cassettes are designed to be easily installed exactly where you need.

Multiple Options Find the Right Size

Ranging from **6K - 18K btu**, whether you need coverage for a large area or a small space, the MRCOOL® Ceiling Cassette has the right capacity to meet any requirements.

Elevating Maintenance Panel **Easy Air Filter Access**


Let your ladder gather dust, because the air filter panel itself can now be remotely raised and lowered.

From now on, cleaning the air filter is a breeze... even on an every day basis. By activating the Elevation function on the remote controller (or smart controller), the filter panel will lower for easy air filter maintenance.

Industry Exclusive Installation Worry-Free Installation

Ceiling Cassettes generally have strict installation requirements that sometimes dictate installation in less than ideal locations. The exclusive MRCOOL® Ceiling Cassette is designed for easy installation options. The unit can be easily installed between

Easy to install and easy to maintain - the MRCOOL® DIY® OuttaSight™ Ceiling Cassette is designed to fit your lifestyle.



SPECIFICATION

Model		DIYCASSETTE06HP-230D25-0	DIYCASSETTE09HP-230D25-0	DIYCASSETTE12HP-230D25-0	DIYCASSETTE18HP-230D25-0
POWER					
Voltage	V	208/230V,1Ph	208/230V,1Ph	208/230V,1Ph	208/230V,1Ph
Frequency	Hz	60Hz	60Hz	60Hz	60Hz
Min. circuit ampacity	Α	3	3	3	3
Max Coverage Area*	Sq. ft.	Up to 250	Up to 400	Up to 550	Up to 800
*Max Coverage Area is determined	d using ideal inst	allation conditions.	5		
FAN MOTOR					
Output	W	30	30	30	30
RLA	Α	0.8	0.8	1	1.2
Speed (Hi/Mi/Lo)	r/min	1024/944/784	1104/994/784	1075/982/797	1344/1184/1024
EVAPORATOR					
Rows	*	2	2	2	2
Tube outer diameter	mm	Ф7	Φ7	Ф7	Ф7
Tube outside type		Inner groove tube	Inner groove tube	Inner groove tube	Inner groove tube
Fin spacing	mm	1.3	1.3	1.3	1.3
Fin type		Hydrophilic aluminum	Hydrophilic aluminum	Hydrophilic aluminum	Hydrophilic aluminum
Number of circuits	*	3	3	3	3
Air flow					
(Turbo/Hi/Mi/Lo)	m³/h	580 / 500 / 440 / 440	580 / 500 / 440 / 400	600 / 530 / 480 / 420	680 / 598 / 510 / 352
DIMENSIONS					
Net (W×D×H)	inch	50.3 x 13.1 x 8.9			
	mm	1278 x 335 x 228			
Packing (W×D×H)	inch	57.5 x 22.4 x 22.6			
	mm	1463 x 571 x 575			
Net/Gross weight	kg	40/20.5	40/20.5	40/20.5	40/20.5
	lb	88/45	88/45	88/45	88/45

^{*}The unit comes standard with a 5 year parts and 7 year compressor warranty. This system can qualify for the Extended Limited Lifetime Replacement Warranty only if enrolled in the MRCOOL® Care Kit Program, which has a fee to be covered by the system owner, and certain conditions/requirements are met.

 $MRCOOL @\ Care\ Kit\ cannot\ be\ used\ with\ the\ OuttaSight^{\ M}\ Air\ Handler,\ but\ can\ be\ used\ on\ the\ accompanying\ condenser.$



Scan this code for Multi-Zone Condenser/Air Handler matchups.